

L Number	Hits	Search Text	DB	Time stamp
1	516	((grating near4 light near4 valve) or glv) same (imag\$3 or display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 08:24
2	200	((grating near4 light near4 valve) or glv) same (slm or (spatial with light with modulat\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 08:39
3	2	("5,311,360").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 08:29
4	45	((grating near4 light near4 valve) or glv) same (slm or (spatial with light with modulat\$))) and hologra\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 08:29
5	70	((grating near4 light near4 valve) or glv) and (slm or (spatial with light with modulat\$)) and hologra\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 08:39
24	2	("6163391").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 09:49
25	1104	(hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and phase and (fourier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 09:55
26	39	((hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and phase and (fourier)) and curtis.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 09:56
27	7	((hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and phase and (fourier)) and king.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 09:57
-	2	("5311360").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 17:54

-	279	(359/35).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:29
-	530	(359/1).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:29
-	176	(359/28).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:29
-	285	(359/29).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:29
-	269	(359/30).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:29
-	322	(359/558).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:29
-	894	(359/566).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:29
-	666	(359/569).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:29
-	326	(359/572).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:29
-	172	(359/573).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:29

-	155	(359/575).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:29
-	3362	((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:30
-	528	((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:48
-	4	((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase) and (grating with light with valve)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 12:19
-	5	((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase) and ((grating with light with valve) or glv)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 12:20
-	438	((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase) and ((pinhole or (pin near3 hole)) or aperture or mask\$3 or block\$3 or slit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:44
-	2	("5986781").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:48
-	3	("3,744,871").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:50

-	2	("3,941,450").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:50
-	65	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (grating with light with valve)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 12:20
-	66	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and ((grating with light with valve) or glv)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 12:20
-	9	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and ((grating with light with valve) or glv)) and hologra\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 12:20
-	599	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and ((pinhole or (pin near3 hole)) or aperture or mask\$3 or block\$3 or slit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 12:23
-	134	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and ((pinhole or (pin near3 hole)) or aperture or mask\$3 or block\$3 or slit)) and ((block\$3 or eliminat\$ or remov\$3) with order)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 12:23
-	268	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29).CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and (diffract\$ near4 (grating or (optic\$4 with element))) and phase	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 14:08

-	24	(hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase and (grating with light with valve)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 09:54
-	31	(hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase and ((grating with light with valve) or glv)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:55
-	13	hologra\$ and laser and diffract\$ and phase and ((grating with light with valve) or glv) and ((block\$3 or eliminat\$ or remov\$3) with order)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:58
-	697	hologra\$ and laser and (diffract\$ near4 (grating or (optic\$4 with element))) and phase and ((block\$3 or eliminat\$ or remov\$3) with order) and reference and (object or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 16:53
-	19	(hologra\$ and laser and (diffract\$ near4 (grating or (optic\$4 with element))) and phase and ((block\$3 or eliminat\$ or remov\$3) with order) and reference and (object or signal)) and ribbon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 16:54
-	199	hologra\$ and laser and (diffract\$ near4 (grating or (optic\$4 with element))) and (phase near5 control\$5) and ((block\$3 or eliminat\$ or remov\$3) with order) and reference and (object or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 16:54
-	651	(hologra\$ and laser and (diffract\$ near4 (grating or (optic\$4 with element))) and phase and ((block\$3 or eliminat\$ or remov\$3) with order) and reference and (object or signal)) and ((pinhole or (pin near3 hole)) or aperture or mask\$3 or block\$3 or slit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 16:55
-	194	(hologra\$ and laser and (diffract\$ near4 (grating or (optic\$4 with element))) and (phase near5 control\$5) and ((block\$3 or eliminat\$ or remov\$3) with order) and reference and (object or signal)) and ((pinhole or (pin near3 hole)) or aperture or mask\$3 or block\$3 or slit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 17:16
-	86	hologra\$ and ((pinhole or (pin near3 hole)) or aperture or mask\$3 or block\$3 or slit) and ((grating near4 light near4 valve) or glv)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 17:38
-	81	((grating near4 light near4 valve) or glv) same ((object or signal) with (light or beam))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 08:24